



# ISOSTATIC BEARING SALES COMPANT



2MM224WI QUL Bearing 2D drawings and 3D CAD models

4.724 Inch | 120 Millimeter x 8.465 Inch | 215 Millimeter x 6.299 Inch | 160 Millimeter TIMKEN 2MM224WI QUL Precision Ball Bearings

Bearing No. 2MM224WI QUL

|                      |   |
|----------------------|---|
| Category             | Precision Ball Bearings   |
| Inventory            | 0.0   |
| Manufacturer Name    | TIMKEN  |
| Minimum Buy Quantity | N/A   |
| Weight               | 21.45   |
| EAN                  | 0087796323186   |
| Product Group        | B04270  |
| Enclosure            | Open  |
| Precision Class      | ABEC 7   ISO P4   |
| Material - Ball      | Steel   |
| Number of Bearings   | 4 (1 Quadruplex Set)  |
| Contact Angle        | 15 Degree   |
| Preload              | Light   |
| Raceway Style        | 1 Rib Outer Ring  |
| Cage Material        | Phenolic  |
| Rolling Element      | Ball Bearing  |
| Mounting Arrangement | Quadruplex-Universal  |
| Flush Ground         | Yes   |
| Inch - Metric        | Metric  |
| Other Features       | Single Row   Angular Contact   Super High Precision   |
| Long Description     | 120MM Bore; 215MM Outside Diameter; 160MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; |



## ISOSTATIC BEARING SALES COMPANT

|                          |  |
|--------------------------|--|
|                          | Steel Ball Material; 4 (1<br>Quadruplex Set) Bearings;<br>15 Degree Contact Angle;<br>Phenolic Cage Material; 1<br>Rib O |
| Category                 | Precision Ball Bearings  |
| UNSPSC                   | 31171531   |
| Harmonized Tariff Code   | 8482.10.50.28  |
| Noun                     | Bearing  |
| Keyword String           | Angular Contact Ball   |
| Manufacturer URL         | <a href="http://www.timken.com">http://www.timken.com</a>  |
| Manufacturer Item Number | 2MM224WI QUL   |
| Weight / LBS             | 47.24  |
| D                        | 8.465 Inch   215 Millimeter  |
| d                        | 4.724 Inch   120 Millimeter  |
| B                        | 6.299 Inch   160 Millimeter  |