



ISOSTATIC BEARING SALES COMPANT



23088 CAK/C3W33 Bearing 2D drawings and 3D CAD models

17.323 Inch | 440 Millimeter x 25.591 Inch | 650 Millimeter x 6.181 Inch | 157 Millimeter SKF 23088 CAK/C3W33 Spherical Roller Bearings

Bearing No. 23088 CAK/C3W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	199.079
EAN	7316576656057
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Adapter Part Number - Millimeter	H3088 (Specify bore)
Withdrawal Sleeve	AH3088 AOHX3088 (Specify bore)
Withdrawal Nut	HM3092
Inch - Metric	Metric
Long Description	440MM Tapered Bore; 650MM Outside Diameter; 157MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze



ISOSTATIC BEARING SALES COMPANT

	Cage Material; Open Enclosure; Relubricatable; Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	438.499
D	25.591 Inch 650 Millimeter
B	6.181 Inch 157 Millimeter
d	17.323 Inch 440 Millimeter
bore diameter:	440 mm
maximum rpm:	1000 RPM
outside diameter:	650 mm
operating temperature range:	Maximum of +390 ° F
overall width:	157 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	157 mm



ISOSTATIC BEARING SALES COMPANT

dynamic load capacity:	3650 kN
fillet radius:	5 mm
static load capacity:	6550 kN
series:	230