



ISOSTATIC BEARING SALES COMPANT



23144 CCK/HA3C4W33 Bearing 2D drawings and 3D CAD models

8.661 Inch | 220 Millimeter x 14.567 Inch | 370 Millimeter x 4.724 Inch | 120 Millimeter SKF 23144 CCK/HA3C4W33 Spherical Roller Bearings

Bearing No. 23144 CCK/HA3C4W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	53.75
EAN	7316570850888
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3144 AOH3144 (Specify bore)
Withdrawal Nut	HM48T
Inch - Metric	Metric
Long Description	220MM Tapered Bore; 370MM Outside Diameter; 120MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable;



ISOSTATIC BEARING SALES COMPANT

	Adapter
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	118.388
d	8.661 Inch 220 Millimeter
B	4.724 Inch 120 Millimeter
D	14.567 Inch 370 Millimeter
Adapter Part Number	SNW3144 H3144 (Specify bore) Inch H3144 (Specify bore) Millimeter
bore diameter:	220 mm
maximum rpm:	1700 RPM
outside diameter:	370 mm
operating temperature range:	Maximum of +390 ° F
overall width:	120 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



ISOSTATIC BEARING SALES COMPANT

outer ring width:	120 mm
dynamic load capacity:	1800 kN
fillet radius:	3 mm
static load capacity:	2750 kN
series:	231