



ISOSTATIC BEARING SALES COMPANT



1.969 Inch | 50 Millimeter x 4.331 Inch | 110
 Millimeter x 1.575 Inch | 40 Millimeter SKF 22310
 EK/VA751 Spherical Roller Bearings

Bearing No. 22310 EK/VA751

22310 EK/VA751 Bearing 2D drawings and 3D CAD
 models

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.895
EAN	7316571595139
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX2310 (Specify bore)
Withdrawal Nut	KM11
Inch - Metric	Metric
Long Description	50MM Tapered Bore; 110MM Outside Diameter; 40MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu



ISOSTATIC BEARING SALES COMPANT

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	4.173
D	4.331 Inch 110 Millimeter
d	1.969 Inch 50 Millimeter
B	1.575 Inch 40 Millimeter
Adapter Part Number	SNW110 H2310 HA2310 HE2310 (Specify bore) Inch H2310 (Specify bore) Millimeter
bore diameter:	50 mm
maximum rpm:	6300 RPM
outside diameter:	110 mm
operating temperature range:	Maximum of +390 ° F
overall width:	40 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C0
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



ISOSTATIC BEARING SALES COMPANT

outer ring width:	40 mm
dynamic load capacity:	220 kN
fillet radius:	2 mm
static load capacity:	224 kN
series:	223