



## ISOSTATIC BEARING SALES COMPANT



23136 CCK/C2W33 Bearing 2D drawings and 3D CAD models

7.087 Inch | 180 Millimeter x 11.811 Inch | 300 Millimeter x 3.78 Inch | 96 Millimeter SKF 23136 CCK/C2W33 Spherical Roller Bearings

Bearing No. 23136 CCK/C2W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	26.64
EAN	7316577733160
Product Group	B04311
Internal Clearance	C2-Snug
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3136 (Specify bore)
Withdrawal Nut	KM40
Inch - Metric	Metric
Long Description	180MM Tapered Bore; 300MM Outside Diameter; 96MM Width; C2-Snug Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Num



## ISOSTATIC BEARING SALES COMPANT

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	58.667
D	11.811 Inch   300 Millimeter
Adapter Part Number	SNW3136 H3136 HA3136 HR3136 (Specify bore) Inch   H3136 (Specify bore) Millimeter
B	3.78 Inch   96 Millimeter
d	7.087 Inch   180 Millimeter
bore diameter:	180 mm
maximum rpm:	2200 RPM
outside diameter:	300 mm
operating temperature range:	Maximum of +390 ° F
overall width:	96 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C2
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



## ISOSTATIC BEARING SALES COMPANT

outer ring width:	96 mm
dynamic load capacity:	1200 kN
fillet radius:	2.5 mm
static load capacity:	1760 kN
series:	231