



ISOSTATIC BEARING SALES COMPANT



23168 CACK/C083W507 Bearing 2D drawings and 3D CAD models

13.386 Inch | 340 Millimeter x 22.835 Inch | 580 Millimeter x 7.48 Inch | 190 Millimeter SKF 23168 CACK/C083W507 Spherical Roller Bearings

Bearing No. 23168 CACK/C083W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	229.61
EAN	7316577730497
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3168 AOH3168 (Specify bore)
Withdrawal Nut	HM74T
Inch - Metric	Metric
Long Description	340MM Tapered Bore; 580MM Outside Diameter; 190MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable;



ISOSTATIC BEARING SALES COMPANT

	Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	505.74
B	7.48 Inch 190 Millimeter
D	22.835 Inch 580 Millimeter
Adapter Part Number	SNP3168 (Specify bore) Inch H3168 (Specify bore) Millimeter
d	13.386 Inch 340 Millimeter
bore diameter:	340 mm
maximum rpm:	1000 RPM
outside diameter:	580 mm
operating temperature range:	Maximum of +390 ° F
overall width:	4.3800 in
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C083
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



ISOSTATIC BEARING SALES COMPANT

outer ring width:	190 mm
dynamic load capacity:	4250 kN
fillet radius:	4 mm
static load capacity:	6800 kN
series:	231